

AAAI-14 Games Tutorial List of Publications - Proof-Number Search

Martin Müller and Akihiro Kishimoto

July 14, 2014

1 PNS

References

- [1] L. V. Allis. *Searching for Solutions in Games and Artificial Intelligence*. PhD thesis, University of Limburg, Maastricht, The Netherlands, 1994.
- [2] L. V. Allis, M. van der Meulen, and H. J. van den Herik. Proof-Number Search. *Artificial Intelligence*, 66(1):91–124, 1994.
- [3] B. Arneson, R. B. Hayward, and P. Henderson. Solving Hex: Beyond humans. In H. J. van den Herik, H. Iida, and A. Plaat, editors, *Computers and Games 2010*, volume 6515 of *Lecture Notes in Computer Science (LNCS)*, pages 1–10. Springer, Berlin, Germany, 2011.
- [4] D. M. Breuker. *Memory versus Search in Games*. PhD thesis, Universiteit Maastricht, Maastricht, The Netherlands, 1998.
- [5] D. M. Breuker, L. V. Allis, and H. J. van den Herik. How to mate: Applying proof-number search. In H. J. van den Herik, I. S. Herschberg, and J. W. H. M. Uiterwijk, editors, *Advances in Computer Chess 7*, pages 251–272. University of Limburg, Maastricht, The Netherlands, 1994.
- [6] D. M. Breuker, J. W. H. M. Uiterwijk, and H. J. van den Herik. The PN²-search algorithm. In H. J. van den Herik and B. Monien, editors, *Advances in Computer Games 9*, pages 115–132. IKAT, Universiteit Maastricht, Maastricht, The Netherlands, 2001.
- [7] M.S. Campbell. The graph-history interaction: On ignoring position history. In *Proceedings of the 1985 ACM Annual Conference on the Range of Computing: Mid-80’s Perspective*, pages 278–280, New York, NY, USA, 1985. ACM.

- [8] C. Elkan. Conspiracy numbers and caching for searching and/or trees and theorem-proving. In N. S. Sridharan, editor, *Proceedings of the 11th International Joint Conference on Artificial Intelligence (IJCAI-89)*, pages 341–348, 1989.
- [9] A. Heifets and I. Jurisica. Construction of new medicines via game proof search. In J. Hoffmann and B. Selman, editors, *Proceedings of the 26th AAAI Conference on Artificial Intelligence*, pages 1564–1570, 2012.
- [10] P. Henderson. *Playing and Solving Hex*. PhD thesis, University of Alberta, Edmonton, Alberta, Canada, 2010.
- [11] T. Kaneko. Parallel depth first proof number search. In M. Fox and D. Poole, editors, *Proceedings of the Twenty-Fourth AAAI Conference on Artificial Intelligence, (AAAI'10)*, pages 95–100, Menlo Park, CA, USA, 2010. AAAI Press.
- [12] T. Kaneko, T. Tanaka, K. Yamaguchi, and S. Kawai. Evaluation functions for df-pn+ in shogi based on prediction of proof and disproof numbers after expansion. In *Proceedings of the 9th Game Programming Workshop (GPW'04)*, pages 14–21, 2004. In Japanese.
- [13] T. Kaneko, T. Tanaka, K. Yamaguchi, and S. Kawai. Df-pn with fixed-depth search at frontier nodes. In *Proceedings of the 10th Game Programming Workshop (GPW'05)*, pages 1–8, 2005. In Japanese.
- [14] Y. Kawano. Using similar positions to search game trees. In R. Nowakowski, editor, *Games of No Chance*, volume 29 of *MSRI Publications*, pages 193–202. Cambridge University Press, 1996.
- [15] A. Kishimoto. *Correct and Efficient Search Algorithms in the Presence of Repetitions*. PhD thesis, University of Alberta, Edmonton, Alberta, Canada, 2005.
- [16] A. Kishimoto. Dealing with infinite loops, underestimation, and overestimation of depth-first proof-number search. In M. Fox and D. Poole, editors, *Proceedings of the Twenty-Fourth AAAI Conference on Artificial Intelligence, (AAAI '10)*. AAAI Press, 2010.
- [17] A. Kishimoto and R. Marinescu. Recursive best-first AND/OR search for optimization in graphical models. In *Proceedings of the 30th Conference on Uncertainty in Artificial Intelligence*, 2014.
- [18] A. Kishimoto and M. Müller. Df-pn in Go: An application to the one-eye problem. In H. J. van den Herik, H. Iida, and E. A. Heinz, editors, *Advances in Computer Games 10 (ACG'03): Many Games, Many Challenges*, pages 125–141. Kluwer Academic Publishers, Boston, MA, USA, 2003.

- [19] A. Kishimoto and M. Müller. A general solution to the graph history interaction problem. In D. L. McGuinness and G. Ferguson, editors, *Proceedings of the 19th National Conference on Artificial Intelligence (AAAI'04)*, pages 644–649, 2004.
- [20] A. Kishimoto and M. Müller. Search versus knowledge for solving life and death problems in Go. In M. M. Veloso and S. Kambhampati, editors, *Proceedings of the 20th National Conference on Artificial Intelligence (AAAI'05)*, pages 1374–1379, Menlo Park, CA, USA, 2005. AAAI Press / MIT Press.
- [21] A. Kishimoto and M. Müller. About the completeness of depth-first proof-number search. In J. van den Herik, X. Xu, Z. Ma, and M. Winands, editors, *Computers and Games. 6th International Conference*, volume 5131 of *Lecture Notes in Computer Science*, pages 146–156, Beijing, China, 2008. Springer. http://dx.doi.org/10.1007/978-3-540-87608-3_14.
- [22] A. Kishimoto, M. Winands, M. Müller, and J. Saito. Game-tree search using proof numbers: The first twenty years. *ICGA Journal*, 35(3):131–156, 2012.
- [23] D. A. McAllester. Conspiracy numbers for min-max search. *Artificial Intelligence*, 35(3):287–310, 1988.
- [24] M. Miwa, D. Yokoyama, and T. Chikayama. Prediction of mates in shogi using svm and its application. In *Proceedings of the 9th Game Programming Workshop (GPW'04)*, pages 143–150, 2004. In Japanese.
- [25] C. Moldenhauer. Game tree search algorithms for the game of cops and robber. Master’s thesis, Department of Computing Science, University of Alberta, Edmonton, Alberta, Canada, 2009.
- [26] M. Müller. Proof-set search. In J. Schaeffer, M. Müller, and Y. Björnsson, editors, *Computers and Games 2002*, volume 2883 of *Lecture Notes in Computer Science (LNCS)*, pages 88–107. Springer, Heidelberg, Germany, 2003.
- [27] A. Nagai. Application of df-pn+ to othello endgames. In *Proceedings of the 5th Game Programming Workshop*, volume 99(14) of *IPSJ Symposium Series*, pages 16–23, 1999.
- [28] A. Nagai. A new depth-first-search algorithm for AND/OR trees. Master’s thesis, The University of Tokyo, Tokyo, Japan, 1999.
- [29] A. Nagai. *Df-pn Algorithm for Searching AND/OR trees and its Applications*. PhD thesis, The University of Tokyo, Japan, 2002.
- [30] X. Niu, A. Kishimoto, and M. Müller. Recognizing seki in computer Go. In H. J. van den Herik, S. Hsu, T. Hsu, and H. H. L. M. Donkers, editors, *Advances in Computer Games 11*, volume 4250 of *Lecture Notes in Computer Science (LNCS)*, pages 88–103, Berlin, Germany, 2006. Springer.

- [31] F. Okabe. Application of the route branch number for solving tsume shogi problems. In *Proceedings of the 10th Game Programming Workshop*, pages 9–16, 2005. In Japanese.
- [32] A. J. Palay. *Searching with probabilities*. PhD thesis, Carnegie Mellon University, PA, USA, 1983.
- [33] J. Pawlewicz and R. Hayward. Scalable parallel depth first proof number search. In *Computers and Games (CG 2013)*, 2014? To appear.
- [34] J. Pawlewicz and L. Lew. Improving depth-first pn-search: $1+\epsilon$ trick. In H. J. van den Herik, P. Ciancarini, and H. H. L. M. Donkers, editors, *Proceedings of the 5th Computers and Games Conference (CG'06)*, volume 4630 of *Lecture Notes in Computer Science*, pages 160–170. Springer, Heidelberg, Germany, 2007.
- [35] A. Saffidine and T. Cazenave. Multiple-outcome proof number search. In L. De Raedt, C. Bessière, D. Dubois, P. Doherty, P. Frasconi, F. Heintz, and P. J. F. Lucas, editors, *Proceedings of the 20th European Conference on Artificial Intelligence (ECAI)*, pages 708–713. IOS Press, 2012.
- [36] A. Saffidine, N. Jouandeau, and T. Cazenave. Solving BREAKTHROUGH with race patterns and job-level proof number search. In H. J. van den Herik and A. Plaat, editors, *Advances in Computer Games 13*, volume 7168 of *Lecture Notes in Computer Science*, pages 196–207, Berlin, Germany, 2012. Springer.
- [37] J.-T. Saito and M. H. M. Winands. Paranoid proof-number search. In G. N. Yannakakis and J. Togelius, editors, *In Proceedings of the Computational Intelligence and Games Conference (CIG'10)*, pages 203–210. IEEE Press, 2010.
- [38] M. Sakuta. *Deterministic Solving of Problems with Uncertainty*. PhD thesis, Shizuoka University, Hamamatsu, Japan, 2001.
- [39] J. Schaeffer. Conspiracy numbers. *Artificial Intelligence*, 43(1):67–84, 1990.
- [40] J. Schaeffer, Y. Björnsson, N. Burch, A. Kishimoto, M. Müller, R. Lake, P. Lu, and S. Sutphen. Solving checkers. In L. P. Kaelbling and A. Saffiotti, editors, *Proceedings of the 19th International Joint Conference on Artificial Intelligence (IJCAI-05)*, pages 292–297, 2005.
- [41] J. Schaeffer, N. Burch, Y. Björnsson, A. Kishimoto, M. Müller, R. Lake, P. Lu, and S. Sutphen. Checkers is solved. *Science*, 317(5844):1518–1522, 2007.
- [42] M. Schijf. Proof-number search and transpositions. Master’s thesis, University of Leiden, Leiden, The Netherlands, 1993.

- [43] M. Schijf, L. V. Allis, and J. W. H. M. Uiterwijk. Proof-number search and transpositions. *ICCA Journal*, 17:63–74, 1994.
- [44] M. Seo, H. Iida, and J. W. H. M. Uiterwijk. The PN*-search algorithm: Application to tsume shogi. *Artificial Intelligence*, 129(1-2):253–277, 2001.
- [45] S. Soeda, T. Kaneko, and T. Tanaka. Dual lambda search and shogi endgames. In H. J. van den Herik, S. Hsu, T. Hsu, and H. H. L. M. Donkers, editors, *Advances in Computer Games 11*, volume 4250 of *Lecture Notes in Computer Science (LNCS)*, pages 126–139, Berlin, Germany, 2006. Springer.
- [46] T. Ueda, T. Hashimoto, J. Hashimoto, and H. Iida. Weak proof-number search. In H. J. van den Herik, X. Xu, Z. Ma, and M. H. M. Winands, editors, *CG '08: Proceedings of the 6th International Conference on Computers and Games*, pages 157–168, Heidelberg, Germany, 2008. Springer-Verlag.
- [47] M. H. M. Winands. *Informed Search in Complex Games*. PhD thesis, Maastricht University, The Netherlands, 2004.
- [48] M. H. M. Winands and M. P. D. Schadd. Evaluation-function based proof-number search. In H. J. van den Herik, H. Iida, and A. Plaat, editors, *Computers and Games (CG'10)*, volume 6515 of *Lecture Notes in Computer Science*, pages 23–35. Springer-Verlag, Berlin, Germany, 2011.
- [49] M. H. M. Winands, J. W. H. M. Uiterwijk, and H. J. van den Herik. Pds-pn: A new proof-number search algorithm: Application to lines of action. In J. Schaeffer, M. Müller, and Y. Björnsson, editors, *Computers and Games, Lecture Notes in Computer Science 2883*, pages 170–185, Berlin, Germany, 2003. Springer-Verlag.
- [50] I.-C. Wu, H.-H. Lin, P.-H. Lin, D.-J. Sun, Y.-C. Chan, and B.-T. Chen. Job-level proof-number search for connect6. In H. J. van den Herik, H. Iida, and A. Plaat, editors, *Computers and Games (CG'10)*, volume 6515 of *Lecture Notes in Computer Science*, pages 11–22. Springer-Verlag, Berlin, Germany, 2011.
- [51] I.-C. Wu, H.-H. Lin, D.-J. Sun, K.-Y. Kao, P.-H. Lin, Y.-C. Chan, and P.-T. Chen. Job-level proof-number search. *IEEE Transactions on Computational Intelligence and AI in Games*, 5(1):44–56, 2013.
- [52] K. Yoshizoe. A new proof-number calculation technique for Proof-Number Search. In H. J. van den Herik, X. Xu, Z. Ma, and M. H. M. Winands, editors, *CG '08: Proceedings of the 6th International Conference on Computers and Games*, pages 135–145, Heidelberg, Germany, 2008. Springer-Verlag.

- [53] K. Yoshizoe, A. Kishimoto, and M. Müller. Lambda depth-first proof number search and its application to Go. In M. Veloso, editor, *Proceedings of the 20th International Joint Conference on Artificial Intelligence (IJCAI-07)*, pages 2404–2409, 2007.