

Lecture 20: Wed February 26, 2003

today

- dynamic programming [CLRS Ch. 15.1-3]
 - chained matrix multiplication: analysis
- graphs (intro) [CLRS Appendix B.4]
- union find [CLRS Ch. 21]

announcements

```

Matrix-Chain-Order(D) [based on CLRS]
1 n <- length(D)-1      { D[0..n]: array dimensions
2 for x <- 1 to n do
3   M[x,x] <- 0
4 for L <- 2 to n do    { L: current chain length
5   for x <- 1 to n-L+1 do
6     y <- x+L-1; M[x,y] <- infinity
7     for t <- x to y-1 do
8       q <- M[x,t] + M[t+1,y] + D[x-1]D[t]D[y]
9       if q < M[x,y] then
10        M[x,y] <- q; S[x,y] <- t

```

- space in $\Theta(n^2)$ why?
- run time prop'l to total number of line executions why?
- line 1? 1 lines 2,3? n lines 4,...,10?
- run time prop'l to $T(n)$, number of line 8,9 executions? why?
- $T(n) = \sum_{L=2}^n \sum_{x=1}^{n-L+1} \sum_{t=x}^{x+L-2} 1 \in \Theta(n^3)$ ☹?
- run time in $\Theta(n^3)$

$$\begin{aligned}
T(n) &= \sum_{L=2}^n \sum_{x=1}^{n-L+1} \sum_{t=x}^{x+L-2} 1 \\
&= \sum_{L=2}^n \sum_{x=1}^{n-L+1} L - 1 \\
&= \sum_{L=2}^n (n - L + 1)(L - 1) \\
&= (n - 1)1 + (n - 2)2 + (n - 3)3 + \dots + 2(n - 2) + 1(n - 1) \\
&\in \Theta(n^3)
\end{aligned}$$

since


$$\begin{aligned}
T(n) &\leq \sum_{L=2}^n n^2 \quad \text{and} \\
T(n) &\geq \sum_{L=\lfloor n/3 \rfloor}^{\lfloor 2n/3 \rfloor} (n - L + 1)(L - 1) \\
&> \sum_{L=\lfloor n/3 \rfloor}^{\lfloor 2n/3 \rfloor} \left(\frac{n}{3} - 2\right)\left(\frac{n}{3} - 2\right) \\
&\geq \frac{n}{3} \left(\frac{n}{3} - 2\right)\left(\frac{n}{3} - 2\right) \\
&\in \Omega(n^3)
\end{aligned}$$

other problems suited to dynamic programming

- constructing optimal binary search trees
- string matching: longest common subsequence
- all pairs shortest paths in (di)graph

next: graphs [CLRS Appendix B.4]

- eventually ...
 - definitions
 - basic properties
 - algorithms
- now ...
 - brief introduction



		1	2	3	4	5	6	7	8	9
1:	3 6	1		*			*			
2:	5 6	2				*	*			
3:	1 5 6	3	*			*	*			
4:	9	4								*
5:	2 3 8	5	*	*					*	
6:	1 2 3	6	*	*	*					
7:		7								
8:	5	8				*				
9:	4	9			*					

- (simple, undirected) graph $G = (V, E)$:
vertex set V and edge set E consisting of unordered vertex pairs
- adjacent, incident, degree
- computer representation: adjacency lists; adjacency matrix
- path
- connected
- (connected) component